

FIG. 1A




FIG. 1B

FIG. 1A




FIG. 2




FIG. 3

18




FIG. 4

18




FIG. 5






FIG. 8

48



53





FIG. 8



15.9

18





FIGURE 10

THE



二五二





FIG. 12A



D4

FIG. 12B

FOCETO E2051860




FIG. 12C

FIG. 13




FIG. 13



[illegible]

Fig. 14



5. 15.




FIG. 10

1.





Fig. 17



815-18




FIG. 19

FIG. 19A





FIG. 19B



18




FIG. 20




FIG. 21




FIG. 22




FIG. 23

18




FIG. 24

This diagram is a cross-sectional view of a complex mechanical assembly, possibly a turbine or compressor section. A central shaft, labeled 552E, extends vertically through the center. Surrounding the shaft are several layers of components, including blades or vanes (550, 554, 558, 562A, 562B, 562C) and a base (568). The assembly is supported by a housing (564). Various components are labeled with reference numerals: 550, 552E, 554, 558, 562A, 562B, 562C, 564, 568, 570, 572, 574, 576A, 578A, 578B, 580A, 580B, 586, 590, 592A, 592B, 596, 598, 600A, 600B, 601A, 601B.

\$76.25




FIG. 26

FIG. 27




FIG. 29A




FIG. 29B




FIG. 28

187




FIG. 30

FIG. 30A




FIG. 31




FIG. 32




FIG 33




FIG. 34